


Vascular Plant Survey

Voyageurs National Park

Prepared for: **The Great Lakes Network Inventory and Monitoring Program**

Prepared by: **Allan Harris**
 Robert Foster



November 2003

Abstract

In 2003 we conducted surveys for vascular plant species in Voyageurs National Park. Twenty new plant species were discovered for the park and the status for two others was revised.

We estimate that 72% to 81% of the “potential flora” (plant species known to occur in the park plus those expected to occur) is known from the park. This is a slight increase from the 71% – 79% previous estimated.

Georeferenced locations of new and significant species are provided, as is a revised checklist of the vascular plants of Voyageurs National Park.

Introduction

Harris and Foster (2003) estimated the “potential flora” (plant species known to occur in the park plus those expected to occur) of Voyageurs National Park at 934 to 1045 species, of which 740 were satisfactorily reported from the park.

The National Park Service’s goal is to verify >90% of all plants expected to occur in the park area. In 2003, the Great Lakes Network Inventory and Monitoring Program funded fieldwork to increase the proportion of known species.

Methods

We checked fens, cliffs, prairie-like openings, shorelines and roadsides for plant species expected to occur in Voyageurs National Park based on Harris and Foster (2003).

Fieldwork was completed June 23 – 25, July 22 – 24 and August 13 – 15 2003. A map of sampling locations is shown in Figure 1.

Voucher specimens of most species were collected for the Voyageurs National Park herbarium.




Figure 1. Map showing 2003 fieldwork locations.



Figure 2. *Calopogon tuberosa* discovered in 2003 in fen at Tom Cod Bay.



Figure 3. Cliff habitat at Brown Bay.

Results and Discussion

New Plants for Voyageurs National Park

The following is an annotated list of plant species new for Voyageurs National Park. Table 1 summarizes changes in status of the plant species. Locations are provided in Appendix 1.

Meadow Foxtail *Alopecurus pratensis*
This exotic grass was collected in a roadside ditch near the Rainy Lake Visitors Centre.

Tuberous Grasspink *Calopogon tuberosus*
A single individual of this orchid was discovered in the treed fen at the west end of Tom Cod Bay (Figure 2). It is relatively widespread in Minnesota, but apparently confined to rich fen habitats (Ownbey and Morley 1991).

Northern Bog Sedge *Carex gynocrates*
Northern bog sedge was discovered in the fen at the west end of Tom Cod Bay. It is known from other peatlands in northern Minnesota (Wright et al. 1992).

Woolly Sedge *Carex pellita*
Woolly sedge was discovered at a beach on north side of Saginaw Bay, Rainy Lake and on the south side of Sullivan Bay, Namakan Lake. It is widespread and relatively common in Minnesota (Ownbey and Morley 1991) and adjacent Ontario. This species is sometimes known as *Carex lanuginosa*.

Showy Ticktrefoil *Desmodium canadense*
A population of about 40 non-flowering plants of showy ticktrefoil was discovered on a shoreline at the southeast side of island at mouth of Dove Bay. This is a prairie species apparently not previously reported from Koochiching or St. Louis counties (Ownbey and Morley 1991), but known from the Rainy River in Ontario.

Elliptic Spikerush *Eleocharis elliptica*
Elliptic spikerush was discovered in the fen at the west end of Tom Cod Bay. It is widespread in peatlands in nearby Ontario, but apparently uncommon in northern Minnesota (Ownbey and Morley 1991).

White Bedstraw *Galium mollugo*
White bedstraw was collected on a roadside near the Rainy Lake Visitors Centre. This native to Europe is a recent addition to the flora of Minnesota. It was first collected in St. Louis County in 2000 (Cholewa 2002).

Orange Hawkweed *Hieracium aurantiacum*
This weed is common on roadsides near Kabetogama Visitor Centre and elsewhere in the park.

Grassleaf Mudplantain

Heteranthera dubia

This submergent plant was discovered at Dove Bay where it is abundant. Grassleaf mudplantain is easily confused with pondweed species and probably more widespread on Rainy Lake.

Inland Rush

Juncus interior

Inland rush was discovered at four locations on Rainy Lake and two on Sandpoint Lake. This species is easily confused with *J. dudleyii*. It is widely distributed in Minnesota, including the Lake of the Woods to Rainy Lake area (Ownbey and Morley 1991).

Black Medick

Medicago lupulina

This exotic clover is apparently well established on roadsides in the park. It was collected on a roadside near Rainy Lake Visitors Centre.

Farwell's Watermilfoil

Myriophyllum farwellii

This submergent plant was discovered in Nett Lake. It is widespread, but uncommon in northern Minnesota and adjacent Ontario (Ownbey and Morley 1991).

Yellow Pond Lily

Nuphar rubrodisca

This species was collected at Deep Slu, Namakan Lake in 2002. *Nuphar rubrodisca* is sometimes considered a subspecies of the common *Nuphar variegatum*, but recognized as a full species by FNA (1997).

Pellitory

Parietaria pensylvanica

Pellitory was discovered on a southwest facing cliff on the north side of Grassy Bay, Sandpoint Lake. Although not mapped in northern Minnesota in Ownbey and Morley (1991), it is known from nearby locations in Ontario.

Snakemouth Orchid

Pogonia ophioglossoides

A small population of this orchid was discovered at the fen at the west end of Tom Cod Bay. It is relatively widespread in northern Minnesota, but apparently confined to rich fen habitats (Ownbey and Morley 1991).

Sulphur Cinquefoil

Potentilla recta

This exotic species was discovered on a roadside near Rainy Lake Visitors Centre.

Celeryleaf Buttercup

Ranunculus sceleratus

This species was discovered on a muddy shore on the north side of Black Bay. Its preferred habitat, exposed shoreline, was abundant in 2003 due to low water levels on Rainy Lake.

Northern Dwarf Raspberry

Rubus acaulis

Northern dwarf raspberry is relatively common in the fen and black spruce swamp at the west end of Tom Cod Bay. It is widespread in northern Minnesota and adjacent Ontario (Ownbey and Morley 1991).

Lesser Spikemoss***Selaginella densa***

Lesser spikemoss was discovered on a dry rock outcrop at Makinon Point, on the south side of Dryweed Island, Rainy Lake. This apparently represents the first record of this species for Minnesota (Cholewa 2002). Identification needs to be confirmed.

Clustered Burreed***Sparganium glomeratum***

Clustered burreed was discovered in a black ash swamp along the snowmobile trail at the west end of Tom Cod Bay. This record apparently represents a northwest extension of its Minnesota range (Coffin and Pfannmuller 1988). Clustered burreed is on the Minnesota Special Concern list (DNR 2003).

Table 1. New vascular plant species (and changes in status) for Voyageurs National Park. Refer to Table 2 for status codes.

Species	Former Status	New Status	Notes
<i>Carex gynocrates</i>	2	1	Collection 2003
<i>Carex pellita</i>	2	1	Collection 2003. Synonymous with <i>Carex lanuginosa</i>
<i>Calopogon tuberosus</i>	2	1	Sight record 2003
<i>Pogonia ophioglossoides</i>	2	1	Collection 2003
<i>Alopecurus pratensis</i>	3	1	Collection 2003
<i>Juncus interior</i>	2	1	Collection 2003
<i>Hieracium aurantiacum</i>	3	1	Collection 2003
<i>Sparganium glomeratum</i>	8	1	Collection 2003
<i>Selaginella densa</i>	-	1	Collection 2003. Identification needs to be verified.
<i>Ranunculus sceleratus</i>	-	1	Collection 2003
<i>Potentilla recta</i>	3	1	Collection 2003
<i>Rubus acaulis</i>	2	1	Collection 2003
<i>Parietaria pensylvanica</i>	8	1	Collection 2003
<i>Dalea purpurea</i> Vent. var <i>purpurea</i>	6	2	Collection 2003 - just outside park boundary
<i>Medicago lupulina</i>	3	1	Collection 2003
<i>Desmodium canadense</i>	-	1	Collection 2003
<i>Eleocharis elliptica</i>	2	1	Collection 2003
<i>Heteranthera dubia</i>	2	1	Collection 2003
<i>Myriophyllum farwellii</i>	2	1	Collection 2003
<i>Galium mollugo</i>	-	1	Collection 2003
<i>Nuphar rubrodisca</i>	5	1	Collection 2002. Treated as full species in FNA (1997).
<i>Carex angustior</i>	1	5	Synonymous with <i>Carex echinata</i> ssp <i>echinata</i>

Other Species

Violet Prairie Clover (*Dalea purpurea*; also known as *Petalostemon purpurea*) was discovered in a roadside ditch at the turnoff to Rainy Lake Visitors Centre, 200 m outside the park boundary.

Locations for Vasey's pondweed (*Potamogeton vaseyi*) (Special Concern, DNR 2003), American shore plantain (*Littorella uniflora* var. *americana*) (Special Concern, DNR 2003), and pigmyweed (*Crassula aquatica*) (Threatened, DNR 2003) are provided in Appendix 1. These species were previously known from the park.

Also of interest, a Threatened (DNR 2003) tiger beetle species (*Cicindela denikei*) was seen on a rocky shoreline at Junction Bay, Namakan Lake. It is relatively common in adjacent Ontario (Harris et al. 2002), but is endemic to the area west of Lake Superior (Coffin and Pfannmuller 1988).

Potential Flora

A revised estimate of the “potential flora” (plant species known to occur in the park plus those expected to occur) is shown in Table 3. Each species was coded by its probability of occurring in Voyageurs National Park (Table 2).

Table 2. Plant status codes (Harris and Foster 2003).

1	Satisfactorily reported for VOYA;
2	Native species reported from surrounding area with a strong probability of occurring in VOYA;
3	Exotic reported from surrounding area – potentially present or with a reasonable probability of invading the park;
4	Exotic reported from surrounding area, but non-invasive (localized garden escapes, etc.);
5	Reported for VOYA, but taxonomic difficulties (including hybrids and subspecies);
6	Reported for VOYA, but record is dubious;
7	Occurs in adjacent area, but habitat is limited in VOYA; and
8	Occurs as an outlier or at the periphery of its range in the area with small chance of occurring in VOYA.

Table 3. Potential flora of Voyageurs National Park. Previous numbers reported in Harris and Foster (2003) are in parentheses.

Code	Status	# Species
1	Satisfactorily reported	758 (740)
2	Surrounding native	161 (168)
3	Invasive exotic	22 (26)
4	Non-invasive exotic	22 (22)
5	Taxonomic difficulties	72 (69)
6	Dubious record	8 (9)
7	Limited habitat	0 (0)
8	Outlier	87 (89)

A total of 758 vascular plant species is satisfactorily documented from Voyageurs National Park (Table 3). A conservative estimate of the potential flora for Voyageurs National Park is 941 species (Code 1 + Code 2 + Code 3 species). A more liberal estimate, which also includes the non-invasive exotic species and outlier species, is 1050

species (Code 1 + Code 2 + Code 3 + Code 4 + Code 8 species). According to these estimates, 72% to 81% of the potential flora is known from the park. This is a slight increase from the 71% – 79% estimated by Harris and Foster (2003).

A revised species list for Voyageurs National Park is presented in Appendix 2.

Recommendations

1. Further effort is needed to search the peatland at Tom Cod Bay for rich fen species. A number of these species are known from nearby fens in Minnesota and Ontario including *Carex exilis*, *Carex vaginata*, *Cladium mariscoides*, *Drosera anglica*, *Drosera intermedia*, *Drosera linearis*, *Eriophorum (Trichophorum) alpinum*, *Juncus stygius* ssp *americanus*, *Lycopodium selago*, *Rhynchospora alba*, *Rhynchospora fusca*, *Tofieldia glutinosa*, *Trichophorum caespitosum*, and *Xyris montana*. Suitable habitat is present in the peatland, particularly at the western boundary of the park.
2. Continue inventory for submergents, shoreline species, and prairie species.
3. Standardize vascular plant nomenclature using the USDA PLANTS Database (USDA, NRCS. 2002) or other widely accepted standard. This will bring the Voyageurs plant list up to date and facilitate comparisons with other parks.

Literature Cited

- Cholewa, A.F. 2003. Annotated Checklist of the Flora of Minnesota.
<http://www.cbs.umn.edu/herbarium/checklis2.htm>. University of Minnesota Herbarium. Accessed October 15 2003.
- Coffin, B. and L. Pfannmuller. 1988. Minnesota's Endangered Flora and Fauna. Univ. of Minnesota Press. Minneapolis.
- Flora of North America Editorial Committee (editors) (FNA). 1997. Flora of North America. Volume 3. Magnoliophyta: Magnoliidae and Hamamelidae. Oxford University Press, New York. 590 pp.
- Gleason, H.A. and A. Cronquist. 1991. Manual of Vascular Plants of Northeastern United States and Adjacent Canada. Second Edition. New York Botanical Garden.
- Harris, A.G. and R.F. Foster. 2003. Potential flora of Voyageurs National Park. Unpublished report. Prepared for Voyageurs National Park and The Great Lakes Network Inventory and Monitoring Program.
- Harris, A.G., R.F. Foster, M.J. Oldham, and W.D. Bakowsky. 2002. Life science inventory of Rainy Lake, Ontario. Unpublished report. Prepared for the Rainy Lake Conservancy.

- Minnesota Department of Natural Resources (DNR). 2003.
<http://www.dnr.state.mn.us/ets/index.html> Natural Heritage and Nongame Research Program Division of Ecological Services Minnesota Department of Natural Resources. Accessed October 15 2003.
- Ownbey, G.B. and T. Morley. 1991. Vascular Plants of Minnesota. University of Minnesota Press. Minneapolis.
- USDA, NRCS. 2002. The PLANTS Database, Version 3.5 (<http://plants.usda.gov>). National Plant Data Center, Baton Rouge, LA. Accessed October 15 2003.
- Wright, H.E., B.A. Coffin, and N.E. Aaseng (eds). 1992. Patterned Peatlands of Minnesota. University of Minnesota Press.

Appendix 1. Locations for new and significant plant species in Voyageurs National Park.

Species	UTM Zone	UTM Easting	UTM Northing	Location	Notes
<i>Alopecurus pratensis</i>	15	485902.2408	5382230.866	Roadside near Rainy Lake Visitors Centre	
<i>Calopogon tuberosus</i>	15	489930.1072	5370414.336	Fen at west end of Tom Cod Bay	Single plant
<i>Carex gynocrates</i>	15	490108.2341	5370461.51	Fen at west end of Tom Cod Bay	Locally common
<i>Carex pellita</i>	15	503054.8129	5380919.088	Beach on north side of Saginaw Bay, Rainy Lake	Sight record
<i>Carex pellita</i>	15	511580.1429	5363240.708	South side of Sullivan Bay, Namakan Lake	Common
<i>Crassula aquatica</i> *	15	491733.70	5382752.50	Dove Bay, Rainy Lake	
<i>Crassula aquatica</i> *	15	533956.6744	5360535.942	North side of Grassy Bay, Sandpoint Lake	Sight record
<i>Dalea purpurea</i>	15	502062.6586	5380683.074	Roadside ditch at turnoff to Rainy Lake Visitors Centre	Outside park, 200 m north of boundary
<i>Desmodium canadense</i>	15	493313.6502	5383265.35	Southeast side of island at mouth of Dove Bay	40+ plants on shoreline
<i>Eleocharis elliptica</i>	15	489535.2934	5372539.733	Fen at west end of Tom Cod Bay	
<i>Galium mollugo</i>	15	485902.2408	5382230.866	Roadside near Rainy Lake Visitors Centre	
<i>Hieracium aurantiacum</i>	15	497773.0885	5365704.017	Weedy roadside near Kabetogama Visitor Centre	Common
<i>Heteranthera dubia</i>	15	491733.70	5382752.50	Dove Bay, Rainy Lake	Common in 50 to 150 cm of water
<i>Juncus interior</i>	15	498141.1249	5384738.909	Small island north of Steamboat Island, Rainy Lake	Rock outcrop. Sight record.
<i>Juncus interior</i>	15	502062.6586	5380683.074	North shore of Saginaw Bay, Rainy Lake	South facing bedrock shore. Sight record
<i>Juncus interior</i>	15	533956.6744	5360535.942	North side of Grassy Bay,	Sight record

Potential Flora of Voyageurs National Park

Species	UTM Zone	UTM Easting	UTM Northing	Location	Notes
				Sandpoint Lake	
<i>Juncus interior</i>	15	534046.6751	5360567.48	North side of Grassy Bay, Sandpoint Lake	Sight record
<i>Juncus interior</i>	15	489906.9614	5384137.657	Makinon Point, south side of Dryweed Island	50 culms in cracks in bedrock
<i>Juncus interior</i>	15	495825.6322	5383298.472		
<i>Littorella uniflora</i> var. <i>americana</i> **	15	507409.7772	5382031.308	South side of Soldier Point, Rainy Lake	Abundant on exposed moist sand
<i>Littorella uniflora</i> var. <i>americana</i> **	15	503054.8129	5380919.088	Beach on north side of Saginaw Bay, Rainy Lake	
<i>Littorella uniflora</i> var. <i>americana</i> **	15	504284.9346	5381586.853	Bay on north side of Saginaw Bay, Rainy Lake	
<i>Littorella uniflora</i> var. <i>americana</i> **	15	507678.3564	5382148.458	South side of Soldier Point, Rainy Lake	
<i>Medicago lupulina</i>	15	485902.2408	5382230.866	Roadside near Rainy Lake Visitors Centre	
<i>Myriophyllum farwellii</i>	15	524697.4907	5361025.988	Nett Lake	
<i>Nuphar rubrodisca</i>	15	527728.0000	5364090.000	Deep Slu, Namakan Lake	
<i>Parietaria pensylvanica</i>	15	534126.926	5360223.891	Cliff on north side of Grassy Bay, Sandpoint Lake	Southwest facing granite cliff
<i>Pogonia ophioglossoides</i>	15	488663.5298	5372451.664	Fen at west end of Tom Cod Bay	Flower not yet open
<i>Potamogeton vaseyi</i> **	15	534260.2213	5358034.429	East side of Brown Bay, Sandpoint Lake	Sight record
<i>Potentilla recta</i>	15	485902.2408	5382230.866	Roadside near Rainy Lake Visitors Centre	
<i>Ranunculus scleratus</i>	15	491690.4771	5378611.215	North shore of Black Bay, Rainy Lake	Peaty shoreline exposed by low water level
<i>Rubus acaulis</i>	15	489648.6407	5370676.521	Fen at west end of Tom Cod Bay	Common
<i>Rubus acaulis</i>	15	489535.2934	5372539.733	Fen at west end of Tom Cod Bay	Common
<i>Selaginella densa</i>	15	489906.9614	5384137.657	Makinon Point, south side of	

Potential Flora of Voyageurs National Park

Species	UTM Zone	UTM Easting	UTM Northing	Location	Notes
				Dryweed Island, Rainy Lake	
<i>Sparganium glomeratum</i>	15	490017.8275	5372901.03	West end of Tom Cod Bay	Black ash swamp on trail along uplands
<i>Cicindela denikei</i> (tiger beetle) *	15	512518.7429	5363956.74	Exit to Junction Bay, Namkan Lake	Dry rocky shoreline

* Threatened, DNR 2003

** Special Concern, DNR 2003

Appendix 2. Revised vascular plant list for Voyageurs National Park.

Updated from Harris and Foster 2003. Taxonomy and nomenclature generally follow Gleason and Cronquist (1991) and USDA, NRCS (2002). The status of *Selaginella densa* is pending confirmation of identification. Voucher specimens were collected for species marked *.

FAMILY LYCOPODIACEAE

- Lycopodiella inundata* (L.) Holub
Lycopodium annotinum L.
Lycopodium clavatum L.
Lycopodium complanatum L.
Lycopodium dendroideum Michx.
Lycopodium lucidulum Michx.
Lycopodium obscurum L.

Clubmoss Family

- Inundated Club Moss
Stiff Club Moss
Common Club Moss
Ground-Cedar
Tree Ground Pine
Shining Club Moss
Ground Pine

FAMILY SELAGINELLACEAE

- * *Selaginella densa* Rydb.
Selaginella rupestris (L.) Spring

Selaginella Family

- Lesser Spikemoss
Northern Selaginella

FAMILY ISOETACEAE

- * *Isoetes lacustris* L.

Quillwort Family

- Lake Quillwort

FAMILY EQUISETACEAE

- Equisetum arvense* L.
Equisetum fluviatile L.
Equisetum hyemale L.
Equisetum palustre L.
Equisetum pratense Ehrh.
Equisetum scirpoides Michx.
Equisetum sylvaticum L.
Equisetum variegatum Schleich. ex Fried., Weber & Mohr

Horsetail Family

- Field Horsetail
Water Horsetail
Scouring Horsetail
Marsh Horsetail
Meadow Horsetail
Dwarf Scouringrush
Woodland Horsetail
Variegated Scouringrush

FAMILY OPHIOGLOSSACEAE

- Botrychium multifidum* (S.G. Gmel.) Rupr.
Botrychium virginianum (L.) Swartz

Adder's Tongue Family

- Leathery Grapefern
Rattlesnake Fern

FAMILY OSMUNDACEAE

- Osmunda cinnamomea* L.
Osmunda claytoniana L.

Royal Fern Family

- Cinnamon Fern
Interrupted Fern

FAMILY DENNSTAEDIACEAE

- Pteridium aquilinum* (L.) Kuhn

Bracken Fern Family

- Bracken

FAMILY THELYPTERIDACEAE

Phegopteris connectilis (Michx.) Watt
Thelypteris palustris Schott

FAMILY DRYOPTERIDACEAE

Athyrium filix-femina (L.) Roth ex Mert.
Cystopteris bulbifera (L.) Bernh.
Cystopteris fragilis (L.) Bernh.
Dryopteris campyloptera Clarkson
Dryopteris carthusiana (Vill.) H.P. Fuchs
Dryopteris cristata (L.) A. Gray
Dryopteris fragrans (L.) Schott
* *Gymnocarpium dryopteris* (L.) Newman
Gymnocarpium robertianum (Hoffm.) Newman
Matteuccia struthiopteris (L.) Tod.
Onoclea sensibilis L.
* *Woodsia ilvensis* (L.) R. Br.
Woodsia oregana D.C. Eaton

FAMILY POLYPODIACEAE

Polypodium virginianum L.

FAMILY PINACEAE

Abies balsamea (L.) Miller
Larix laricina (Du Roi) K. Koch
Picea glauca (Moench) Voss
Picea mariana (Miller) B.S.P.
Pinus banksiana Lamb.
Pinus nigra Arnold
Pinus resinosa Sol. ex Aiton
Pinus strobus L.

FAMILY CUPRESSACEAE

Juniperus communis L.
Juniperus horizontalis Moench
Thuja occidentalis L.

FAMILY TAXACEAE

Taxus canadensis Marshall

FAMILY ARISTOLOCHIACEAE

Asarum canadense L.

Marsh Fern Family

Long Beechfern
Marsh Fern

Wood Fern Family

Common Ladyfern
Bulblet Bladderfern
Brittle Bladderfern
Mountain Woodfern
Spinulose Woodfern
Crested Woodfern
Fragrant Woodfern
Western Oakfern
Scented Oakfern
Ostrich Fern
Sensitive Fern
Rusty Woodsia
Oregon Cliff Fern

Polypody Family

Rock Polypody

Pine Family

Balsam Fir
Tamarack
White Spruce
Black Spruce
Jack Pine
Austrian Pine
Red Pine
White Pine

Cedar Family

Common Juniper
Creeping Juniper
Eastern Arborvitae

Yew Family

Canada Yew

Duchman's-pipe Family

Canadian Wild Ginger

FAMILY NYMPHAEACEAE

Nuphar luteum (L.) Sm.
Nuphar rubrodisca Morong
Nymphaea odorata Ait.

FAMILY CABOMBACEAE

Brasenia schreberi J. Gmel.

FAMILY CERATOPHYLLACEAE

Ceratophyllum demersum L.
Ceratophyllum echinatum A. Gray

FAMILY RANUNCULACEAE

Actaea rubra (Aiton) Willd.
Anemone canadensis L.
Anemone cylindrica A. Gray
Anemone quinquefolia L.
Anemone virginiana L.
Aquilegia canadensis L.
Caltha natans Pall.
Caltha palustris L.
Coptis trifolia (L.) Salisb.
Hepatica nobilis Schreb. var *obtusa*
Ranunculus abortivus L.
Ranunculus acris L.
Ranunculus cymbalaria Pursh
Ranunculus flabellaris Raf.
Ranunculus flammula L.
Ranunculus gmelinii DC.
Ranunculus hispidus Michx.
Ranunculus lapponicus L.
Ranunculus longirostris Godr.
Ranunculus pensylvanicus L. f.
* *Ranunculus sceleratus* L.
Thalictrum dasycarpum Fischer & Avé-Lall.
Thalictrum dioicum L.
Thalictrum venulosum Trel.

FAMILY PAPAVERACEAE

Sanguinaria canadensis L.

Water-lily Family

Varigated Yellow Pond Lily
Yellow Pond Lily
American White Waterlily

Water-shield Family

Watershield

Hornwort Family

Coontail
Spineless Hornwort

Crowfoot or Buttercup Family

Red Baneberry
Canada Anemone
Candle Anemone
Nightcaps
Tall Thimbleweed
Red Columbine
Floating Marsh Marigold
Yellow Marsh Marigold
Threeleaf Goldthread
Roundlobed Hepatica
Littleleaf Buttercup
Tall Buttercup
Alkali Buttercup
Yellow Water Buttercup
Spearwort Buttercup
Gmelin's Buttercup
Bristly Buttercup
Lapland Buttercup
Longbeak Buttercup
Pennsylvania Buttercup
Celeryleaf Buttercup
Purple Meadowrue
Early Meadowrue
Veiny Meadowrue

Poppy Family

Bloodroot

FAMILY FUMARIACEAE

Corydalis aurea Willd.

Corydalis sempervirens (L.) Pers.

Fumitory or Fumewort Family

Scrambledeggs

Rock Harlequin

FAMILY ULMACEAE

Ulmus americana L.

Elm Family

American Elm

FAMILY URTICACEAE

Laportea canadensis (L.) Wedd.

* *Parietaria pensylvanica* Muhlenb. ex Willd.

Urtica dioica L.

Nettle Family

Canadian Wood Nettle

Pellitory

Stinging Nettle

FAMILY MYRICACEAE

Comptonia peregrina (L.) J.M. Coulter

Myrica gale L.

Wax-myrtle Family

Sweet Fern

Sweetgale

FAMILY FAGACEAE

Quercus ellipsoidalis E.J. Hill

Quercus macrocarpa Michx.

Quercus rubra L.

Beech Family

Northern Pin Oak

Bur Oak

Northern Red Oak

FAMILY BETULACEAE

Alnus incana (L.) Moench ssp *rugosa*

Alnus viridis (Villars) DC. ssp *crispa*

Betula alleghaniensis Britton

Betula papyrifera Marshall var. *cordifolia*

Betula papyrifera Marshall

Betula pumila L.

Corylus americana Walter

Corylus cornuta Marshall

Ostrya virginiana (Miller) K. Koch

Birch Family

Speckled Alder

American Green Alder

Yellow Birch

Mountain Paper Birch

Paper Birch

Swamp Birch

American Hazelnut

Beaked Hazelnut

Eastern Hophornbeam

FAMILY CHENOPodiACEAE

Chenopodium album L.

Chenopodium leptophyllum (Nutt. ex Moq.) Nutt. ex S. Narrowleaf Goosefoot
Watson

Chenopodium simplex (Torr.) Raf.

Goosefoot Family

Lambsquarters

Mapleleaf Goosefoot

FAMILY AMARANTHACEAE

Amaranthus retroflexus L.

Amaranth Family

Redroot Amaranth

FAMILY PORTULACACEAE

Portulaca oleracea L.

Purslane Family

Little Hogweed

FAMILY MOLLUGINACEAE

Mollugo verticillata L.

FAMILY CARYOPHYLLACEAE

Cerastium arvense L.

Cerastium fontanum Baumg.

Cerastium nutans Raf.

Lychnis chalcedonica L.

Moehringia lateriflora (L.) Fenzl

Myosoton aquaticum (L.) Moench

Silene antirrhina L.

Silene latifolia Poir.

* *Spergularia rubra* (L.) J. & C. Presl

* *Stellaria longifolia* Muhlenb. ex Willd.

Stellaria media (L.) Vill.

FAMILY POLYGONACEAE

Fagopyrum esculentum Moench

Polygonum achoreum Blake

Polygonum amphibium L.

Polygonum aviculare L.

Polygonum ciliinode Michx.

Polygonum convolvulus L.

Polygonum douglasii Greene

Polygonum hydropiper L.

* *Polygonum lapathifolium* L.

Polygonum persicaria L.

Polygonum punctatum Elliott

Polygonum ramosissimum Michx.

Polygonum sagittatum L.

Polygonum scandens L.

Rumex acetosella L.

Rumex crispus L.

Rumex longifolius DC.

* *Rumex maritimus* L.

Rumex obtusifolius L.

Rumex orbiculatus A. Gray

Rumex patientia L.

Rumex triangulivalvis Meisn.

Carpetweed Family

Green Carpetweed

Pink Family

Field Chickweed

Common Mouse-Ear Chickweed

Nodding Chickweed

Maltese Cross

Bluntleaf Sandwort

Giant Chickweed

Sleepy Silene

Bladder Campion

Red Sandspurry

Longleaf Starwort

Common Chickweed

Smartweed Family

Fagopyrum

Leathery Knotweed

Longroot Smartweed

Prostate Knotweed

Fringed Black Bindweed

Black Bindweed

Douglas' Knotweed

Marshpepper Knotweed

Curlytop Knotweed

Spotted Ladysthumb

Dotted Smartweed

Bushy Knotweed

Arrowleaf Tearthumb

Climbing False Buckwheat

Common Sheep Sorrel

Curly Dock

Dooryard Dock

Golden Dock

Bitter Dock

Greater Water Dock

Patience Dock

Willow-leaved dock

FAMILY ELATINACEAE

Elatine minima (Nutt.) Fischer & C.A. Mey.
Elatine triandra Schkuhr

FAMILY GUTTIFERAE

* *Hypericum majus* (A. Gray) Britton
Triadenum fraseri (Spach) Gleason

FAMILY TILIACEAE

Tilia americana L.

FAMILY SARRACENIACEAE

Sarracenia purpurea L.

FAMILY DROSERACEAE

Drosera rotundifolia L.

FAMILY CISTACEAE

Lechea intermedia Legg.

FAMILY VIOLACEAE

Viola adunca Sm.
Viola blanda Brainerd
Viola canadensis L. var *rugulosa*
Viola conspersa Reichb.
Viola cucullata Aiton
Viola macloskeyi F.E. Lloyd ssp *pallens*
Viola novae-angliae House
Viola pubescens Aiton
Viola renifolia A. Gray
Viola selkirkii Pursh ex Goldie
Viola sororia Willd.

FAMILY CUCURBITACEAE

Echinocystis lobata (Michx.) Torr. & A. Gray

FAMILY SALICACEAE

Populus alba L.
Populus balsamifera L.
Populus grandidentata Michx.
Populus tremuloides Michx.
Salix amygdaloides Anderss.
Salix bebbiana Sarg.
Salix candida Flüegge ex Willd.

Waterwort Family

Small Waterwort
Threestamen Waterwort

St. John's-wort Family

Large St. Johnswort
Fraser's Marsh St. Johnswort

Linden Family

American Basswood

Pitcher-plant Family

Purple Pitcherplant

Sundew Family

Roundleaf Sundew

Rock-rose Family

Largepod Pinweed

Violet Family

Hookedspur Violet
Sweet White Violet
Creepingroot Violet
American Dog Violet
Marsh Blue Violet
Smooth White Violet
New England Blue Violet
Downy Yellow Violet
White Violet
Selkirk's Violet
Common Blue Violet

Gourd Family

Wild Cucumber

Willow Family

White Poplar
Balsam Poplar
Bigtooth Aspen
Quaking Aspen
Peachleaf Willow
Bebb Willow
Sageleaf Willow

<i>Salix discolor</i> Muhlenb.	Pussy Willow
<i>Salix eriocephala</i> Michx.	Missouri River Willow
<i>Salix exigua</i> Nutt.	Sandbar Willow
<i>Salix humilis</i> Marshall	Prairie Willow
<i>Salix lucida</i> Muhlenb.	Shining Willow
<i>Salix pedicellaris</i> Pursh	Bog Willow
<i>Salix petiolaris</i> Anderss.	Meadow Willow
<i>Salix planifolia</i> Pursh	Diamondleaf Willow
<i>Salix pyrifolia</i> Anderss.	Balsam Willow
<i>Salix serissima</i> (L.H. Bailey) Fern.	Autumn Willow

FAMILY BRASSICACEAE

* <i>Arabis divaricarpa</i> A. Nelson	Spreading Rockcress
<i>Barbara vulgaris</i> R. Br.	Wintercress
<i>Berteroia incana</i> (L.) DC.	Hoary Alyssum
<i>Brassica kaber</i> (DC.) L.C. Wheeler	Charlock Mustard
<i>Capsella bursa-pastoris</i> (L.) Medik.	Shepherd's Purse
<i>Cardamine parviflora</i> L. var <i>arenicola</i>	Sand Bittercress
<i>Cardamine pensylvanica</i> Muhlenb. ex Willd.	Pennsylvania Bittercress
* <i>Erysimum cheiranthoides</i> L.	Wormseed Wallflower
* <i>Lepidium densiflorum</i> Schrad.	Common Pepperweed
<i>Rorippa islandica</i> (Oeder) Borbás	Northern Marsh Yellowcress
<i>Rorippa palustris</i> (L.) Besser ssp <i>fernaldiana</i>	Fernald's Yellowcress
<i>Sinapis arvensis</i> L.	Wild Mustard
<i>Subularia aquatica</i> L.	Water Awlwort
<i>Thlaspi arvense</i> L.	Field Pennycress

FAMILY ERICACEAE

<i>Arctostaphylos uva-ursi</i> (L.) Spreng.	Kinnikinnick
<i>Chamaedaphne calyculata</i> (L.) Moench	Leatherleaf
<i>Epigaea repens</i> L.	Trailing Arbutus
<i>Gaultheria hispidula</i> (L.) Muhlenb. ex Bigelow	Creeping Snowberry
<i>Gaultheria procumbens</i> L.	Eastern Teaberry
<i>Kalmia polifolia</i> Wangen.	Bog Laurel
<i>Ledum groenlandicum</i> Oeder	Bog Labrador Tea
<i>Vaccinium angustifolium</i> Aiton	Lowbush Blueberry
<i>Vaccinium caespitosum</i> Michx.	Dwarf Bilberry
<i>Vaccinium macrocarpon</i> Aiton	Cranberry
<i>Vaccinium myrtilloides</i> Michx.	Velvetleaf Huckleberry
<i>Vaccinium oxycoccus</i> L.	Small Cranberry
<i>Vaccinium vitis-idaea</i> L.	Lingonberry

Mustard Family

* <i>Arabis divaricarpa</i> A. Nelson	Spreading Rockcress
<i>Barbara vulgaris</i> R. Br.	Wintercress
<i>Berteroia incana</i> (L.) DC.	Hoary Alyssum
<i>Brassica kaber</i> (DC.) L.C. Wheeler	Charlock Mustard
<i>Capsella bursa-pastoris</i> (L.) Medik.	Shepherd's Purse
<i>Cardamine parviflora</i> L. var <i>arenicola</i>	Sand Bittercress
<i>Cardamine pensylvanica</i> Muhlenb. ex Willd.	Pennsylvania Bittercress
* <i>Erysimum cheiranthoides</i> L.	Wormseed Wallflower
* <i>Lepidium densiflorum</i> Schrad.	Common Pepperweed
<i>Rorippa islandica</i> (Oeder) Borbás	Northern Marsh Yellowcress
<i>Rorippa palustris</i> (L.) Besser ssp <i>fernaldiana</i>	Fernald's Yellowcress
<i>Sinapis arvensis</i> L.	Wild Mustard
<i>Subularia aquatica</i> L.	Water Awlwort
<i>Thlaspi arvense</i> L.	Field Pennycress

Heath Family

<i>Arctostaphylos uva-ursi</i> (L.) Spreng.	Kinnikinnick
<i>Chamaedaphne calyculata</i> (L.) Moench	Leatherleaf
<i>Epigaea repens</i> L.	Trailing Arbutus
<i>Gaultheria hispidula</i> (L.) Muhlenb. ex Bigelow	Creeping Snowberry
<i>Gaultheria procumbens</i> L.	Eastern Teaberry
<i>Kalmia polifolia</i> Wangen.	Bog Laurel
<i>Ledum groenlandicum</i> Oeder	Bog Labrador Tea
<i>Vaccinium angustifolium</i> Aiton	Lowbush Blueberry
<i>Vaccinium caespitosum</i> Michx.	Dwarf Bilberry
<i>Vaccinium macrocarpon</i> Aiton	Cranberry
<i>Vaccinium myrtilloides</i> Michx.	Velvetleaf Huckleberry
<i>Vaccinium oxycoccus</i> L.	Small Cranberry
<i>Vaccinium vitis-idaea</i> L.	Lingonberry

FAMILY PYROLACEAE

Chimaphila umbellata (L.) Barton
Moneses uniflora (L.) A. Gray
Orthilia secunda (L.) House
Pyrola americana Sweet
Pyrola asarifolia Michx.
Pyrola chlorantha Sw.
Pyrola elliptica Nutt.

Wintergreen Family

Pipsissewa
Single Delight
Sidebells Wintergreen
American Wintergreen
Liverleaf Wintergreen
Green Flowered Wintergreen
Waxflower Shinleaf

FAMILY MONOTROPACEAE

Monotropa hypopithys L.
Monotropa uniflora L.

Indian Pipe Family

Pinesap
Indianpipe

FAMILY PRIMULACEAE

Lysimachia ciliata L.
Lysimachia terrestris (L.) B.S.P.
Lysimachia thyrsiflora L.
Trientalis borealis Raf.

Primrose Family

Fringed Loosestrife
Earth Loosestrife
Tufted Loosestrife
American Starflower

FAMILY GROSSULARIACEAE

Ribes americanum Miller
Ribes glandulosum Grauer
Ribes hirtellum Michx.
Ribes hudsonianum Richardson
Ribes lacustre (Pers.) Poir.
Ribes oxyacanthoides L.
Ribes triste Pall.

Gooseberry or Currant Family

American Black Currant
Skunk Currant
Hairystem Gooseberry
Northern Black Currant
Prickly Currant
Canadian Gooseberry
Red Currant

FAMILY CRASSULACEAE

Crassula aquatica (L.) Schoenl.
Sedum acre L.
Sedum hispanicum L.
Sedum telephiooides Michx.
Sempervivum tectorum L.

Stonecrop or Orpine Family

Water Pygmyweed
Goldmoss Stonecrop
Spanish Stonecrop
Allegheny Stonecrop
Common Houseleek

FAMILY SAXIFRAGACEAE

Heuchera richardsonii R. Br.
Mitella nuda L.
Parnassia palustris L.
Saxifraga pensylvanica L.
Saxifraga virginiensis Michx.

Saxifrage Family

Richardson's Alumroot
Naked Miterwort
Northern Grass Parnassus
Eastern Swamp Saxifrage
Alaska Saxifrage

FAMILY ROSACEAE

<i>Agrimonia gryposepala</i> Wallr.	Tall Hairy Agrimony
<i>Agrimonia striata</i> Michx.	Roadside Agrimony
<i>Amelanchier bartramiana</i> (Tausch) M. Roem.	Oblongfruit Serviceberry
<i>Amelanchier humilis</i> Wieg	Low Serviceberry
<i>Amelanchier sanguinea</i> (Pursh) DC.	Roundleaf Serviceberry
<i>Amelanchier stolonifera</i> Wiegand	Running Serviceberry
* <i>Aronia melanocarpa</i> (Michx.) Elliott	Black Chokeberry
<i>Comarum palustre</i> (L.) Scop.	Purple Marshlocks
<i>Crataegus chrysocarpa</i> Ashe	Fireberry Hawthorn
<i>Fragaria vesca</i> L.	Woodland Strawberry
<i>Fragaria virginiana</i> Miller	Virginia Strawberry
<i>Geum aleppicum</i> Jacq.	Yellow Avens
<i>Geum macrophyllum</i> Willd.	Largeleaf Avens
<i>Geum rivale</i> L.	Purple Avens
<i>Potentilla argentea</i> L.	Silver Cinquefoil
<i>Potentilla arguta</i> Pursh	Tall Cinquefoil
<i>Potentilla norvegica</i> L.	Norwegian Cinquefoil
* <i>Potentilla recta</i> L.	Sulphur Cinquefoil
* <i>Potentilla simplex</i> Michx.	Common Cinquefoil
<i>Prunus americana</i> Pursh	American Plum
<i>Prunus nigra</i> Aiton	Canadian Plum
<i>Prunus pensylvanica</i> L. f.	Pin Cherry
<i>Prunus pumila</i> L.	Sand Cherry
<i>Prunus serotina</i> Ehrh.	Black Cherry
<i>Prunus virginiana</i> L.	Common Chokecherry
<i>Rosa acicularis</i> Lindl.	Prickly Rose
<i>Rosa blanda</i> Aiton	Smooth Rose
* <i>Rubus acaulis</i> Michx.	Northern Dwarf Raspberry
<i>Rubus allegheniensis</i> Porter	Allegheny Blackberry
<i>Rubus canadensis</i> L.	Smooth Blackberry
<i>Rubus flagellaris</i> Willd.	Northern Dewberry
<i>Rubus idaeus</i> L. ssp <i>strigosus</i>	Grayleaf Red Raspberry
<i>Rubus occidentalis</i> L.	Black Raspberry
<i>Rubus parviflorus</i> Nutt.	Thimbleberry
<i>Rubus pensylvanicus</i> Poir.	Pennsylvania Blackberry
<i>Rubus pubescens</i> Raf.	Dwarf Red Raspberry
<i>Sibbaldiopsis tridentata</i> Sol. ex Aiton	Shrubby Fivefingers

Rose Family

Tall Hairy Agrimony
Roadside Agrimony
Oblongfruit Serviceberry
Low Serviceberry
Roundleaf Serviceberry
Running Serviceberry
Black Chokeberry
Purple Marshlocks
Fireberry Hawthorn
Woodland Strawberry
Virginia Strawberry
Yellow Avens
Largeleaf Avens
Purple Avens
Silver Cinquefoil
Tall Cinquefoil
Norwegian Cinquefoil
Sulphur Cinquefoil
Common Cinquefoil
American Plum
Canadian Plum
Pin Cherry
Sand Cherry
Black Cherry
Common Chokecherry
Prickly Rose
Smooth Rose
Northern Dwarf Raspberry
Allegheny Blackberry
Smooth Blackberry
Northern Dewberry
Grayleaf Red Raspberry
Black Raspberry
Thimbleberry
Pennsylvania Blackberry
Dwarf Red Raspberry
Shrubby Fivefingers

Sorbus americana Marshall
Sorbus decora (Sarg.) C.K. Schneid.
Spiraea alba Du Roi

American Mountain Ash
Northern Mountain Ash
White Meadowsweet

FAMILY FABACEAE

Amphicarpa bracteata (L.) Fern.
Astragalus canadensis L.
Caragana arborescens Lam.
Coronilla varia L.
* *Desmodium canadense* (L.) DC.
Glycyrrhiza lepidota Nutt. ex Pursh
Lathyrus ochroleucus Hook.
Lathyrus palustris L.
Lathyrus venosus Muhlenb. ex Willd.
* *Medicago lupulina* L.
Medicago sativa L.
Melilotus alba Medik.
Melilotus officinalis (L.) Pall.
Trifolium arvense L.
Trifolium campestre Schreb.
Trifolium hybridum L.
Trifolium pratense L.
Trifolium repens L.
* *Vicia americana* Muhlenb. ex Willd.

Pea or Pulse Family

American Hogpeanut
Canadian Milkvetch
Siberian Peashrub
Crown Vetch
Showy Ticktrefoil
American Licorice
Cream Peavine
Slender Stem Peavine
Veiny Peavine
Black Medick
Alfalfa
White Sweetclover
Yellow Sweetclover
Rabbitfoot Clover
Field Clover
Alsike Clover
Red Clover
White Clover
American Vetch

FAMILY ELAEAGNACEAE

Shepherdia canadensis (L.) Nutt.

Oleaster Family

Russet Buffaloberry

FAMILY HALORAGACEAE

Myriophyllum alterniflorum DC.
* *Myriophyllum farwellii* Morong
Myriophyllum sibiricum Kom.
Myriophyllum tenellum Bigelow
Myriophyllum verticillatum L.

Water-milfoil Family

Alternate Flower Watermilfoil
Farwell's Watermilfoil
Shortspike Watermilfoil
Slender Watermilfoil
Whorl Leaf Watermilfoil

FAMILY LYTHRACEAE

Lythrum salicaria L.

Loosestrife Family

Purple Loosestrife

FAMILY ONAGRACEAE

Chamerion angustifolium L.
Circaea alpina L.
Circaea lutetiana L. ssp *canadensis*
Epilobium ciliatum Raf. ssp *glandulosum*

Evening-primrose Family

Fireweed
Small Enchanter's Nightshade
Broadleaf Enchanter's Nightshade
Glandular Willowherb

Epilobium coloratum Biehler

Purpleleaf Willowherb

Epilobium leptophyllum Raf.

Bog Willowherb

Epilobium palustre L.

Marsh Willowherb

Oenothera biennis L.

Common Evening Primrose

Oenothera parviflora L.

Northern Evening Primrose

Oenothera perennis L.

Small Evening Primrose

FAMILY CORNACEAE

Cornus alternifolia L. f.

Dogwood Family

Cornus canadensis L.

Alternate-leaf Dogwood

Cornus racemosa Lam.

Bunchberry

Cornus rugosa Lam.

Gray Dogwood

Cornus sericea L. ssp *sericea*

Roundleaf Dogwood

Redosier Dogwood

FAMILY SANTALACEAE

Comandra umbellata (L.) Nutt.

Sandalwood Family

Bastard Toadflax

FAMILY VISCIACEAE

Arceuthobium pusillum Peck

Christmas-mistletoe Family

Eastern Dwarf Mistletoe

FAMILY CELASTRACEAE

Celastrus scandens L.

Staff-tree Family

American Bittersweet

FAMILY AQUIFOLIACEAE

Ilex verticillata (L.) A. Gray

Holly Family

Common Winterberry

FAMILY EUPHORBIACEAE

Chamaesyce glyptosperma (Engelm.) Small

Spurge Family

Ribseed Sandmat

FAMILY RHAMNACEAE

Rhamnus alnifolia L'Hér.

Buckthorn Family

Alder Leaf Buckthorn

FAMILY VITACEAE

Parthenocissus quinquefolia (L.) Planchon ex DC.

Grape or Vine Family

Virginia Creeper

Parthenocissus vitacea (A. Kern.) Fritsch

Woodbine

Vitis riparia Michx.

Riverbank Grape

FAMILY ACERACEAE

Acer negundo L.

Maple Family

Boxelder

Acer rubrum L.

Red Maple

Acer saccharinum L.

Silver Maple

Acer spicatum Lam.

Mountain Maple

FAMILY ANACARDIACEAE

Rhus glabra L.

Sumac or Cashew Family

Smooth Sumac

<i>Rhus hirta</i> (L.) Sudworth	Staghorn Sumac
<i>Toxicodendron radicans</i> (L.) Kuntze	Eastern Poison Ivy
FAMILY OXALIDACEAE	Wood Sorrel Family
<i>Oxalis stricta</i> L.	Common Yellow Oxalis
FAMILY GERANIACEAE	Geranium Family
<i>Geranium bicknellii</i> Britton	Bicknell's Cranesbill
FAMILY BALSAMINACEAE	Touch-me-not Family
<i>Impatiens capensis</i> Meerb.	Jewelweed
FAMILY ARALIACEAE	Ginseng Family
<i>Aralia hispida</i> Vent.	Bristly Sarsaparilla
<i>Aralia nudicaulis</i> L.	Wild Sarsaparilla
<i>Aralia racemosa</i> L.	American Spikenard
FAMILY APIACEAE	Carrot or Parsley Family
<i>Aegopodium podagraria</i> L.	Bishop's Goutweed
<i>Cicuta bulbifera</i> L.	Bulblet Bearing Water Hemlock
<i>Cicuta maculata</i> L.	Spotted Water Hemlock
<i>Heracleum maximum</i> Bartr.	Common Cowparsnip
<i>Osmorhiza claytonii</i> (Michx.) C.B. Clarke	Clayton's Sweetroot
<i>Osmorhiza longistylis</i> (Torr.) DC.	Longstyle Sweetroot
* <i>Pastinaca sativa</i> L.	Wild Parsnip
<i>Sanicula marilandica</i> L.	Maryland Sanicle
<i>Sium suave</i> Walter	Hemlock Waterparsnip
<i>Zizia aptera</i> (A. Gray) Fern.	Meadow Zizia
FAMILY GENTIANACEAE	Gentian Family
<i>Gentiana andrewsii</i> Griseb.	Closed Bottle Gentian
<i>Gentianopsis crinita</i> (Froel.) Ma	Greater Fringed Gentian
<i>Halenia deflexa</i> (Sm.) Griseb.	American Spurred Gentian
FAMILY APOCYNACEAE	Dogbane Family
<i>Apocynum androsaemifolium</i> L.	Spreading Dogbane
<i>Apocynum cannabinum</i> L.	Indianhemp
FAMILY ASCLEPIADACEAE	Milkweed Family
<i>Asclepias incarnata</i> L.	Swamp Milkweed
<i>Asclepias syriaca</i> L.	Common Milkweed
FAMILY SOLANACEAE	Potato or Nightshade Family
<i>Physalis pubescens</i> L.	Husk Tomato
<i>Solanum dulcamara</i> L.	Climbing Nightshade

FAMILY CONVOLVULACEAE

Calystegia spithamea (L.) Pursh
Convolvulus sepium L.
Cuscuta cephalanthi Engelm.
Cuscuta gronovii Willd. ex Schultz

FAMILY MENYANTHACEAE

Menyanthes trifoliata L.

FAMILY POLEMONIACEAE

Phlox pilosa L.

FAMILY BORAGINACEAE

Cynoglossum virginianum L. var *boreale*
Hackelia deflexa (Wahlenb.) Opiz
Mertensia paniculata (Aiton) G. Don
Myosotis scorpioides L.

FAMILY VERBENACEAE

Verbena hastata L.

FAMILY LAMIACEAE

Agastache foeniculum (Pursh) Kuntze
* *Clinopodium vulgare* L.
Dracocephalum parviflorum Nutt.
Glechoma hederacea L.
Lycopus americanus Muhlenb. ex Bartram
Lycopus uniflorus Michx.
Mentha arvensis L.
Mentha spicata L.
Monarda didyma L.
Prunella vulgaris L.
Scutellaria galericulata L.
Scutellaria lateriflora L.
Stachys palustris L.
Stachys tenuifolia Willd.

FAMILY CALLITRICHACEAE

Callitricha palustris L.

FAMILY PLANTAGINACEAE

* *Littorella uniflora* (L.) Aschers.
Plantago major L.
Plantago rugelii Decne.

Morning-glory Family

Low False Bindweed
Hedge False Bindweed
Buttonbush Dodder
Scaldweed

Buckbean Family

Common Buckbean

Phlox or Polemonium Family

Downy Phlox

Borage Family

Wild Comfrey
Nodding Stickseed
Tall Bluebells
True Forget-Me-Not

Vervain Family

Swamp Verbena

Mint Family

Blue Giant Hyssop
Wild Basil
American Dragonhead
Ground Ivy
American Water-horehound
Northern Bugleweed
Wild Mint
Spearmint
Scarlet Beebalm
Common Selfheal
Marsh Skullcap
Blue Skullcap
Marsh Hedgenettle
Smooth Hedgenettle

Water-starwort Family

Vernal Waterstarwort

Plantain Family

American Shore-plantain
Common Plantain
Blackseed Plantain

FAMILY OLEACEAE

Fraxinus nigra Marshall
Fraxinus pennsylvanica Marshall
Syringa vulgaris L.

FAMILY SCROPHULARIACEAE

Agalinis tenuifolia (Vahl) Raf.
Gratiola neglecta Torr.
Linaria vulgaris Miller
Melampyrum lineare Desr.
Mimulus ringens L.
Pedicularis canadensis L.
Penstemon gracilis Nutt.
Scrophularia marilandica L.
Verbascum thapsus L.
Veronica arvensis L.
Veronica peregrina L.
Veronica scutellata L.
Veronica serpyllifolia L.

FAMILY LENTIBULARIACEAE

Utricularia intermedia Hayne
Utricularia macrorhiza Le Conte

FAMILY CAMPANULACEAE

Campanula aparinoides Pursh
Campanula rapunculoides L.
Campanula rotundifolia L.
Lobelia dortmanna L.
Lobelia inflata L.

FAMILY RUBIACEAE

Galium asprellum Michx.
Galium boreale L.
* *Galium labradoricum* (Wiegand) Wiegand
* *Galium mollugo* L.
Galium obtusum Bigelow
Galium trifidum L.
Galium triflorum Michx.
Houstonia longifolia Gaertn.

Olive Family

Black Ash
Green Ash
Common Lilac

Figwort Family

Slenderleaf False Foxglove
Clammy Hedge Hyssop
Butter and Eggs
Narrowleaf Cow Wheat
Ringen Monkeyflower
Canadian Lousewort
Lilac Penstemon
Carpenter's-square Figwort
Common Mullein
Corn Speedwell
Neckweed
Skullcap Speedwell
Thyme-leaved Speedwell

Bladderwort Family

Flatleaf Bladderwort
Common Bladderwort

Bluebell or Bellflower Family

Marsh Bellflower
Rampion Bellflower
Bluebell Bellflower
Dortmann's cardinalflower
Indian Tobacco

Madder Family

Rough Bedstraw
Northern Bedstraw
Northern Bog Bedstraw
White Bedstraw
Bluntleaf Bedstraw
Three Petal Bedstraw
Fragrant Bedstraw
Longleaf Summer Bluet

FAMILY CAPRIFOLIACEAE

Diervilla lonicera Miller
Linnaea borealis L.
Lonicera caerulea L.
Lonicera canadensis Bartram
Lonicera dioica L.
* *Lonicera hirsuta Eaton*
Lonicera morrowii A. Gray
Lonicera oblongifolia (Goldie) Hook.
Lonicera tatarica L.
Lonicera villosa (Michx.) Roem. & Schult.
Sambucus racemosa L. var racemosa
Symphoricarpos albus (L.) S.F. Blake
Viburnum lentago L.
Viburnum opulus Ait.
Viburnum rafinesquianum Schult.

Honeysuckle Family

Northern Bush Honeysuckle
Twinflower
Sweetberry Honeysuckle
American Fly Honeysuckle
Limber Honeysuckle
Hairy Honeysuckle
Morrow's Honeysuckle
Swamp Fly Honeysuckle
Tartarian Honeysuckle
Mountain Fly Honeysuckle
Elderberry
Common Snowberry
Nannyberry
American Cranberrybush
Downy Arrowwood

FAMILY ASTERACEAE

Achillea millefolium L.
Ambrosia artemisiifolia L.
Ambrosia psilostachya DC.
Anaphalis margaritacea (L.) Benth. & Hook. f. ex C.B. Clarke
Antennaria neglecta Greene
Antennaria neodioica Greene
Antennaria parlinii Fern.
Arctium minus (Hill) Bernh.
Aster borealis (Torr. & A. Gray) Prov.
Aster lanceolatus Willd. ssp lanceolatus
Aster lateriflorus (L.) Britton
Aster macrophyllus L.
Aster puniceus L.
Balsamita major Desf.
Bidens cernua L.
Bidens frondosa L.
Bidens tripartita L.
Cirsium arvense (L.) Scop.
Cirsium muticum Michx.
Cirsium vulgare (Savi) Ten.
Conyza canadensis (L.) Cronquist

Composite or Aster Family

Common Yarrow
Annual Ragweed
Cuman Ragweed
Western Pearlyeverlasting
Field Pussytoes
Pussytoes
Parlin's Pussytoes
Lesser Burdock
Rush Aster
White Panicle Aster
Calico Aster
Bigleaf Aster
Purplestem Aster
Cost Mary
Nodding Beggartick
Devil's Beggartick
Threelobe Beggarticks
Canada Thistle
Swamp Thistle
Bull Thistle
Canadian Horseweed

<i>Doellingeria umbellata</i> (P. Mill.) Nees var <i>umbellata</i>	Parasol Whitetop
<i>Doellingeria umbellata</i> var. <i>pubens</i> (P. Mill.) Nees var <i>pubens</i>	Parasol Whitetop
<i>Erigeron glabellus</i> Nutt.	Streamsider Fleabane
<i>Erigeron philadelphicus</i> L.	Philadelphia Fleabane
<i>Erigeron strigosus</i> Muhlenb. ex Willd.	Prairie Fleabane
<i>Eupatorium maculatum</i> L.	Spotted Joe Pye Weed
<i>Eupatorium perfoliatum</i> L.	Common Boneset
<i>Eupatorium purpureum</i> L. var <i>purpureum</i>	Sweet-scented Joe Pye Weed
<i>Euthamia graminifolia</i> (L.) Nutt.	Flattop Goldentop
<i>Galinsoga quadriradiata</i> Ruiz, Lopez & Pavón	Shaggy Soldier
* <i>Gnaphalium uliginosum</i> L.	Low Cudweed
<i>Helianthus giganteus</i> L.	Giant Sunflower
<i>Helianthus tuberosus</i> L.	Jerusalem Artichoke
* <i>Hieracium aurantiacum</i> L.	Orange Hawkweed
<i>Hieracium canadense</i> Michx.	Canadian Hawkweed
<i>Hieracium kalmii</i> L.	Kalm's Hawkweed
<i>Hieracium piloselloides</i> Vill.	Tall Hawkweed
<i>Hieracium scabrum</i> Michx.	Rough Hawkweed
<i>Hieracium umbellatum</i> L.	Narrowleaf Hawkweed
<i>Lactuca biennis</i> (Moench) Fern.	Tall Blue Lettuce
<i>Lactuca canadensis</i> L.	Canada Lettuce
<i>Leucanthemum vulgare</i> Lam.	Oxeye Daisy
<i>Matricaria discoidea</i> DC.	Disc Mayweed
<i>Matricaria matricarioides</i> (Less.) Porter	Pineapple Weed
<i>Megalodonta beckii</i> (Torr. ex Spreng) Greene	Aquatic Beggartick
<i>Petasites frigidus</i> (L.) Fr. var <i>palmatus</i>	Arctic Sweet Coltsfoot
<i>Petasites sagittatus</i> (Banks ex Pursh) A. Gray	Arrowleaf Sweet Coltsfoot
<i>Prenanthes alba</i> L.	White Rattlesnakeroot
<i>Rudbeckia hirta</i> L.	Black-eyed Susan
<i>Senecio aureus</i> L.	Golden Ragwort
<i>Senecio pauperculus</i> Michx.	Balsam Groundsel
<i>Solidago canadensis</i> L.	Canada Goldenrod
<i>Solidago gigantea</i> Aiton	Giant Goldenrod
<i>Solidago hispida</i> Muhlenb.	Hairy Goldenrod
<i>Solidago missouriensis</i> Nutt.	Missouri Goldenrod
<i>Solidago nemoralis</i> Aiton	Dyersweed Goldenrod
<i>Solidago uliginosa</i> Nutt.	Bog Goldenrod
<i>Sonchus arvensis</i> L.	Field Sowthistle
<i>Sonchus asper</i> (L.) Hill	Spiny Sowthistle

Symphyotrichum ericoides L. var ericoides
Symphyotrichum ciliolatum Lindl.
Taraxacum officinale G. Weber
Tragopogon dubius Scop.

Heath Aster
Lindley's aster
Common Dandelion
Goat's Beard

FAMILY ALISMATACEAE

Alisma subcordatum Raf.
Alisma triviale Pursh
Sagittaria cristata Engelm.
Sagittaria cuneata E. Sheld.
Sagittaria graminea Michx.
Sagittaria latifolia Willd.
Sagittaria rigida Pursh

Water-plantain Family

American Water Plantain
Northern Water Plantain
Crested Arrowhead
Arumleaf Arrowhead
Grassy Arrowhead
Broadleaf Arrowhead
Sessilefruit Arrowhead

FAMILY HYDROCHARITACEAE

Elodea canadensis Rich. ex Michx.
Vallisneria americana Michx.

Frog's-bit Family

Canadian Waterweed
American Eelgrass

FAMILY SCHEUCHZERIACEAE

Scheuchzeria palustris L. ssp americana

Scheuchzeria Family

Rannoch-rush

FAMILY JUNCAGINACEAE

Triglochin maritimum L.
Triglochin palustre L.

Arrow-grass Family

Seaside Arrowgrass
Marsh Arrowgrass

FAMILY POTAMOGETONACEAE

Potamogeton amplifolius Tuckerm.
Potamogeton epihydrus Raf.
* *Potamogeton filiformis Pers. ssp filiformis*
* *Potamogeton foliosus Raf.*
Potamogeton friesii Rupr.
* *Potamogeton gramineus L.*
Potamogeton natans L.
* *Potamogeton pectinatus L.*
Potamogeton pusillus L.
* *Potamogeton richardsonii (A. Bennett) Rydb.*
Potamogeton robbinsii Oakes
Potamogeton spirillus Tuckerm.
Potamogeton vaseyi Robb.
Potamogeton zosteriformis Fern.

Pondweed Family

Largeleaf Pondweed
Ribbonleaf Pondweed
Fineleaf Pondweed
Leafy Pondweed
Fries' Pondweed
Variableleaf Pondweed
Floating Pondweed
Sago Pondweed
Small Pondweed
Richardson's Pondweed
Robbin's Pondweed
Spiral Pondweed
Vasey's Pondweed
Flatstem Pondweed

FAMILY NAJADACEAE

Najas flexilis (Willd.) Rost. & W. Schmidt

Water-nymph or Naiad Family

Nodding Water Nymph

FAMILY ARACEAE

Acorus americanus (Raf.) Raf.
Arisaema triphyllum (L.) Schott
Calla palustris L.

FAMILY LEMNACEAE

Lemna minor L.
Lemna trisulca L.
Spirodela polyrhiza (L.) Schleid.

FAMILY ERIOCAULACEAE

Eriocaulon aquaticum (Hill) Druce

FAMILY JUNCACEAE

Juncus balticus Willd.

Juncus brevicaudatus (Engelm.) Fern.

Juncus bufonius L.

Juncus dudleyi Wiegelb

Juncus effusus L.

Juncus filiformis L.

Juncus greenei Oakes & Tuckerm.

* *Juncus interior Wiegand*

Juncus nodosus L.

Juncus pelocarpus E. Mey.

Juncus tenuis Willd.

Luzula acuminata Raf.

Luzula campestris (L.) DC.

FAMILY CYPERACEAE

Bolboschoenus fluviatilis (Torr.) M.T. Strong

Carex adusta Boott

Carex aenea Fern.

Carex aquatilis Wahlenb.

Carex arcta Boott

Carex arctata Boott

Carex atherodes Spreng.

Carex aurea Nutt.

Carex bebbii (L.H. Bailey) Olney ex Fern.

Carex brevior (Dewey) Mack. ex Lunell

Carex brunneoscens (Pers.) Poir. ex Lam.

Carex canescens L.

Carex castanea Wahlenb.

Arum Family

Sweetflag
Jack in the Pulpit
Water Arum

Duckweed Family

Common Duckweed
Star Duckweed
Giant Duckweed

Pipewort Family

Sevenangle Pipewort

Rush Family

Baltic Rush
Narrow Panicle Rush
Toad Rush
Dudley's Rush
Common Rush
Thread Rush
Greene's Rush
Inland Rush
Jointed Rush
Brownfruit Rush
Poverty Rush
Hairy Wood Rush
Field Wood Rush

Sedge Family

River Bulrush
Lesser Brown Sedge
Bronze Sedge
Water Sedge
Bear Sedge
Drooping Woodland Sedge
Slough Sedge
Golden Sedge
Bebb's Sedge
Fescue Sedge
Brownish Sedge
Silvery Sedge
Chestnut Sedge

<i>Carex chordorrhiza</i> Ehrh. ex L. f.	Creeping Sedge
* <i>Carex crawfordii</i> Fern.	Crawford's Sedge
* <i>Carex crinita</i> Lam.	Fringed Sedge
<i>Carex cristatella</i> Britton	Crested Sedge
<i>Carex cryptolepis</i> Mack.	Northeastern Sedge
<i>Carex deflexa</i> Hornem.	Northern Sedge
<i>Carex deweyana</i> Schwein.	Dewey Sedge
<i>Carex diandra</i> Schrank	Lesser Paniced Sedge
<i>Carex disperma</i> Dewey	Softleaf Sedge
<i>Carex echinata</i> Murray ssp <i>echinata</i>	Prickly Sedge
<i>Carex gracillima</i> Schwein.	Graceful Sedge
* <i>Carex gynocrates</i> Wormsk. ex Drejer	Northern Bog Sedge
<i>Carex haydenii</i> Dewey	Hayden's Sedge
<i>Carex hirta</i> L.	Hammer Sedge
<i>Carex houghtoniana</i> Torr. ex Dewey	Houghton's Sedge
* <i>Carex interior</i> L.H. Bailey	Inland Sedge
<i>Carex intumescens</i> Rudge	Greater Bladder Sedge
<i>Carex lacustris</i> Willd.	Hairy Sedge
<i>Carex lasiocarpa</i> Ehrh.	Woollyfruit Sedge
<i>Carex lenticularis</i> Michx.	Tufted Sedge
<i>Carex leptalea</i> Wahlenb.	Bristlystalked Sedge
* <i>Carex leptonervia</i> (Fern.) Fern.	Nerveless Woodland Sedge
<i>Carex limosa</i> L.	Mud Sedge
<i>Carex livida</i> (Wahlenb.) Willd.	Livid Sedge
<i>Carex magellanica</i> Lam. ssp <i>magellanica</i>	Little Sedge
<i>Carex merritt-fernaldii</i> Mack.	Merritt Fernald's Sedge
<i>Carex muricata</i> L.	Rough Sedge
<i>Carex oligosperma</i> Michx.	Fewseed Sedge
<i>Carex pauciflora</i> Lightf.	Star Sedge
<i>Carex peckii</i> Howe	Peck's Sedge
<i>Carex pedunculata</i> Muhlenb. ex Willd.	Longstalk Sedge
<i>Carex pellita</i> Muhl ex Willd.	Woolly Sedge
<i>Carex pensylvanica</i> Lam.	Pennsylvania Sedge
<i>Carex projecta</i> Mack.	Necklace Sedge
<i>Carex retrorsa</i> Schwein.	Knotsheath Sedge
<i>Carex rosea</i> Schkuhr ex Willd.	Rosy Sedge
<i>Carex rostrata</i> Stokes	Beaked Sedge
<i>Carex scoparia</i> Schkuhr ex Willd.	Broom Sedge
<i>Carex stipata</i> Muhlenb. ex Willd.	Owlfruit Sedge
<i>Carex stricta</i> Lam.	Uptight Sedge

* <i>Carex sychnocephala</i> J. Carey	Manyhead Sedge
* <i>Carex tenera</i> Dewey	Quill Sedge
<i>Carex tenuiflora</i> Wahlenb.	Sparse Flower Sedge
<i>Carex tonsa</i> (Fern.) Bicknell	Shaved Sedge
<i>Carex trisperma</i> Dewey	Threeseeded Sedge
<i>Carex tuckermanii</i> Dewey	Tuckerman's Sedge
<i>Carex umbellata</i> Schkuhr ex Willd.	Parasol Sedge
<i>Carex vesicaria</i> L.	Blister Sedge
<i>Carex viridula</i> Michx.	Little Green Sedge
<i>Carex vulpinoidea</i> Michx.	Fox Sedge
<i>Cyperus squarrosus</i> L.	Bearded Flatsedge
* <i>Cyperus strigosus</i> L.	Strawcolored Flatsedge
<i>Dulichium arundinaceum</i> (L.) Britton	Threeway Sedge
<i>Eleocharis acicularis</i> (L.) Roem. & Schult.	Needle Spikerush
* <i>Eleocharis elliptica</i> Kunth	Elliptic Spikerush
* <i>Eleocharis obtusa</i> (Willd.) Schult.	Blunt Spikerush
* <i>Eleocharis ovata</i> (Roth) Roem. & Schult.	Ovate Spikerush
<i>Eleocharis smallii</i> Britton	Small's Spikerush
<i>Eriophorum angustifolium</i> Honck.	Tall Cottongrass
<i>Eriophorum chamissonis</i> C.A. Mey.	Chamisso's Cottongrass
<i>Eriophorum gracile</i> Koch ex Roth	Slender Cottongrass
<i>Eriophorum tenellum</i> Nutt.	Fewnerved Cottongrass
<i>Eriophorum vaginatum</i> L. var <i>spissum</i>	Tussock Cottongrass
<i>Eriophorum virginicum</i> L.	Tawny Cottongrass
<i>Eriophorum viridi-carinatum</i> (Engelm.) Fern.	Thinleaf Cottonsedge
<i>Fimbristylis autumnalis</i> (L.) Roem. & Schult.	Autumn Sedge
<i>Lipocarpha micrantha</i> (M. Vahl) G.C. Tucker	Smallflower Hemicarpha
<i>Schoenoplectus acutus</i> (Muhl. ex Bigelow) A. & D. Löve var <i>acutus</i>	Hardstem Bulrush
<i>Schoenoplectus heterochaetus</i> (Chase) Soják	Prairie Bulrush
<i>Schoenoplectus subterminalis</i> (Torr.) Soják	Swaying Bulrush
<i>Scirpus atrovirens</i> Willd.	Green Bulrush
<i>Scirpus cyperinus</i> (L.) Kunth	Woolgrass
<i>Scirpus microcarpus</i> C. Presl	Panicled Bulrush
<i>Scirpus validus</i> L.	Softstem Bulrush

FAMILY POACEAE

- Agrostis capillaris* L.
- Agrostis gigantea* Roth
- Agrostis hyemalis* (Walter) B.S.P.
- Agrostis perennans* (Walter) Tuckerm.

Grass Family

- Colonial Bentgrass
- Redtop
- Winter Bentgrass
- Upland Bentgrass

<i>Agrostis scabra</i> Willd.	Rough Bentgrass
<i>Agrostis stolonifera</i> L.	Creeping Bentgrass
<i>Alopecurus aequalis</i> Sobol.	Shortawn Foxtail
* <i>Alopecurus pratensis</i> L.	Meadow Foxtail
<i>Andropogon gerardii</i> Vitman	Big Bluestem
<i>Avena sativa</i> L.	Oats
<i>Beckmannia syzigachne</i> (Steud.) Fern.	Slough Grass
<i>Brachyelytrum erectum</i> (Schreb.) P. Beauv.	Bearded Shorthusk
<i>Bromus ciliatus</i> L.	Fringed Brome
<i>Bromus inermis</i> Leyss.	Smooth Brome
<i>Calamagrostis canadensis</i> (Michx.) P. Beauv.	Bluejoint
<i>Calamagrostis stricta</i> (Timm) Koeler ssp <i>inexpansa</i>	Northern Reedgrass
<i>Cinna latifolia</i> (Trevir. ex Goepp.) Griseb. in Ledeb.	Drooping Woodreed
<i>Dactylis glomerata</i> L.	Orchardgrass
<i>Danthonia spicata</i> (L.) P. Beauv. ex Roem. & Schult.	Poverty Danthonia
* <i>Deschampsia caespitosa</i> (L.) P. Beauv.	Tufted Hairgrass
<i>Dichanthelium acuminatum</i> Sw.	Tapered Rosette Grass
<i>Dichanthelium boreale</i> Nash	Northern Panicgrass
<i>Dichanthelium lanuginosum</i> Ell.	Western Panicgrass
<i>Dichanthelium linearifolium</i> Nash	Slimleaf Panicum
<i>Dichanthelium xanthophysum</i> A. Gray	Slender Rosette Grass
<i>Digitaria ischaemum</i> (Schreb. ex Schwein.) Schreb. ex Muhlenb.	Smooth Crabgrass
<i>Echinochloa crusgalli</i> (L.) P. Beauv.	Barnyard Grass
<i>Elymus trachycaulus</i> (Link) Gould in Shinn. ssp <i>trachycaulus</i>	Slender Wheatgrass
<i>Elymus virginicus</i> L.	Virginia Wildrye
<i>Elytrigia repens</i> (L.) Desv. ex B.D. Jackson var <i>repens</i>	Quackgrass
<i>Eragrostis hypnoides</i> (Lam.) B.S.P.	Teal Lovegrass
<i>Eragrostis pectinacea</i> (Michx.) Nees ex Steud.	Tufted Lovegrass
<i>Festuca arundinacea</i> Schreb.	Tall Fescue
<i>Festuca ovina</i> L.	Sheep Fescue
* <i>Festuca rubra</i> L.	Red Fescue
<i>Glyceria borealis</i> (Nash) Batch.	Northern Mannagrass
<i>Glyceria canadensis</i> (Michx.) Trin.	Rattlesnake Mannagrass
<i>Glyceria grandis</i> S. Watson	American Mannagrass
<i>Glyceria striata</i> (Lam.) A. Hitchc.	Fowl Mannagrass
<i>Hierochloe odorata</i> (L.) P. Beauv.	Sweetgrass
<i>Hordeum jubatum</i> L.	Foxtail Barley
<i>Leersia oryzoides</i> (L.) Sw.	Rice Cutgrass

* <i>Lolium perenne L.</i>	Perennial Ryegrass
<i>Muhlenbergia frondosa (Poir. in Lam.) Fern.</i>	Wirestem Muhly
<i>Muhlenbergia glomerata (Willd.) Trin.</i>	Spiked Muhly
<i>Muhlenbergia mexicana (L.) Trin</i>	Mexican Muhly
<i>Muhlenbergia racemosa (Michx.) B.S.P.</i>	Marsh Muhly
<i>Oryzopsis asperifolia Michx.</i>	Roughleaf Ricegrass
<i>Oryzopsis pungens (Torr. ex Spreng.) A. Hitchc.</i>	Mountain Ricegrass
<i>Panicum capillare L.</i>	Witchgrass
* <i>Panicum depauperatum Muhlenb.</i>	Starved Panicgrass
<i>Panicum philadelphicum Bernh. ex Trin.</i>	Philadelphia Panicgrass
<i>Panicum virgatum L.</i>	Switchgrass
<i>Phalaris arundinacea L.</i>	Reed Canarygrass
<i>Phleum pratense L.</i>	Timothy
<i>Phragmites australis (Cav.) Trin. ex Steud.</i>	Common Reed
<i>Poa alsodes A. Gray</i>	Grove Bluegrass
<i>Poa annua L.</i>	Annual Bluegrass
<i>Poa compressa L.</i>	Canada Bluegrass
<i>Poa glauca Vahl</i>	Glaucous Bluegrass
<i>Poa interior Rydb.</i>	Inland Bluegrass
<i>Poa palustris L.</i>	Fowl Bluegrass
<i>Poa pratensis L.</i>	Kentucky Bluegrass
<i>Puccinellia distans (Jacq.) Parl.</i>	Weeping Alkaligrass
<i>Schizachne purpurascens (Torr.) Swallen</i>	False Melic
<i>Setaria pumila (Poir.) Schult.</i>	Yellow Bristlegrass
<i>Setaria viridis (L.) P. Beauv.</i>	Green Bristlegrass
<i>Sorghastrum nutans (L.) Nash</i>	Indian Grass
<i>Spartina pectinata Link</i>	Prairie Cordgrass
<i>Sphenopholis intermedia (Rydb.) Rydb.</i>	Slender Wedgescale
<i>Torreyochloa pallida (Torr.) Church</i>	Pale False Mannagrass
<i>Zizania palustris L.</i>	Northern Wild Rice

FAMILY SPARGANIACEAE

<i>Sparganium americanum Nutt.</i>	American Burreed
<i>Sparganium angustifolium Michx.</i>	Narrowleaf Burreed
<i>Sparganium erectum Rydb.</i>	Simplestem Burreed
<i>Sparganium eurycarpum Engelm. ex A. Gray</i>	Broadfruit Burreed
<i>Sparganium fluctuans (Morong) Robinson</i>	Floating Burreed
* <i>Sparganium glomeratum (Laestad.) L. Neum.</i>	Clustered Burreed
<i>Sparganium natans L.</i>	Small Burreed

Bur-reed Family

FAMILY TYPHACEAE

Typha angustifolia L.
Typha latifolia L.

Cat-tail Family

Narrowleaf Cattail
Broadleaf Cattail

FAMILY PONTEDERIACEAE

* *Heteranthera dubia* (Jacq.) MacMill.
Pontederia cordata L.

Water-hyacinth Family

Grassleaf Mudplantain
Pickerelweed

FAMILY LILIACEAE

Allium schoenoprasum L.
Allium stellatum Fraser ex Ker Gawl.
Asparagus officinalis L.
Clintonia borealis (Aiton) Raf.
Lilium lancifolium Thunb.
Lilium michiganense Farw.
Maianthemum canadense Desf.
Maianthemum canadense (L.) Link ssp *racemosum*
Maianthemum stellatum (L.) Link
Maianthemum trifolium (L.) Sloboda
Polygonatum biflorum (Walter) Ell.
Polygonatum pubescens (Willd.) Pursh
Streptopus lanceolatus (Ait.) Reveal var *roseus*
Trillium cernuum L.
Uvularia grandiflora Sm.
Uvularia sessilifolia L.

Lily Family

Chives
Autumn Onion
Asparagus
Yellow Bluebeadlily
Tiger Lily
Michigan Lily
Canada Beadruby
Feather Solomon's Seal
Starry False Solomon's Seal
Threeleaf False Solomon's Seal
King Solomon's Seal
Hairy Solomon's Seal
Twistedstalk
Whippoorwill Flower
Large Flower Bellwort
Sessileleaf Bellwort

FAMILY IRIDACEAE

Iris germanica L.
Iris versicolor L.
Sisyrinchium montanum Greene

Iris Family

German Iris
Harlequin Blueflag
Mountain Blue Eyed Grass

FAMILY SMILACACEAE

Smilax herbacea L.

Catbrier or Smilax Family

Smooth Carrion Flower

FAMILY ORCHIDACEAE

Amerorchis rotundifolia (Banks ex Pursh) Hultén
Arethusa bulbosa L.
Calopogon tuberosus (L.) B.S.P.
Calypso bulbosa (L.) Oakes
Corallorrhiza maculata (Raf.) Raf.
Corallorrhiza striata Lindl.
Corallorrhiza trifida Châtel

Orchid or Orchis Family

Roundleaf Orchid
Dragon's Mouth
Tuberous Grasspink
Fairy Slipper Orchid
Summer Coralroot
Hooded Coralroot
Yellow Coralroot

<i>Cypripedium acaule</i> Aiton	Pink Lady's Slipper
<i>Cypripedium calceolus</i> L.	Yellow Lady's Slipper
<i>Cypripedium reginae</i> Walter	Showy Lady's Slipper
<i>Goodyera repens</i> (L.) R. Br.	Lesser Rattlesnake Plantain
<i>Goodyera tesselata</i> Lodd.	Checkered Rattlesnake Plantain
<i>Liparis loeselii</i> (L.) Rich. ex Lindl.	Yellow Widelip Orchid
<i>Listera cordata</i> (L.) R. Br.	Heartleaf Twayblade
<i>Malaxis brachypoda</i> (Gray) Fern.	White Adder's-Mouth Orchid
<i>Malaxis unifolia</i> Michx.	Green Adder's-Mouth Orchid
<i>Platanthera dilatata</i> (Pursh) Lindl. ex Beck	Boreal Bog Orchid
<i>Platanthera hookeri</i> (Torr. ex A. Gray) Lindl.	Hooker's Orchid
<i>Platanthera hyperborea</i> (L.) Lindl.	Northern Green Orchid
<i>Platanthera obtusata</i> (Banks ex Pursh) Lindl.	Blunt Bog Orchid
<i>Platanthera orbiculata</i> (Pursh) Lindl.	Large Roundleaved Orchid
<i>Platanthera psycodes</i> (L.) Lindl.	Lesser Purple Fringed Orchid
* <i>Pogonia ophioglossoides</i> (L.) Juss.	Snakemouth Orchid
<i>Spiranthes lacera</i> (Raf.) Raf.	Northern Slender Ladies' tresses